

ENVIRONMENTAL TESTERS

C-LOGIC 230



- Power supply: 2x1.5V AAA batteries
- Spectral response: 8-14 m
- Laser: <1mW / 630-670nm
- Selection of °C/°F
- Response time: 1 second
- Relative humidity: 10~90%
- Laser pointer
- Reading Retention
- MAX/MIN/AVG
- Display backlight
- Low battery indication
- Rubber casing for greater comfort of use
- Small size ideal for transport
- Temperature range: -20-300 °C / -4-572 °F
- Resolution: 0,1 °C / 0,2 °F
- Data retention
- Product size: 148mmx90mmx50mm / 5.8 " x3.54 "x1.96"
- Product weight: 135g/0.3lb
- RoHs, CE, ETL certified



MAX
MIN

H



E=0.95



UK
CA



C-LOGIC 230

ENVIRONMENTAL TESTERS

General	
Power Supply	2x1.5V AAA Batteries included
Product Size	148mmx90mmx50mm/5.8"x3.54"x1.96"
Product Weight	135g/0.3lb
Certificate	RoHs, CE, ETL

Specs	
Spectral Response	8-14 μ m
Laser	<1mW / 630-670nm
°C/°F Selection	✓
Response time	1 second
Relative Humidity	10%~90%
Laser Target Pointer	✓
Reading Hold	✓
MAX	✓
MIN/AVG	✓
Display Backlight	✓
Low Battery Display	✓

C-LOGIC 230

ENVIRONMENTAL TESTERS

Specs	
Temperature	-20°C~300°C -4°F~572°F
Relative Humidity	10%~90%
Resolution	0.1°C/0.2°F

Product Code Information	
SKU	CLOGIC230CBINT
EAN code	8435394775647
UPC code	810053670842
Pcs/export carton	20