


	MX 1	MX 2B
		
	Tensiune CC	
Domenii	0.5 V - 1.5 V - 5 V - 15 V - 50 V - 150 V - 500 V - 1.5 kV	150 mV - 0.5 V - 1.5 V - 5 V - 15 V - 50 V - 150 V - 500 V - 1.5 kV
Protectie	320 Vrms (range ≤ 5 V) - 500 Vrms (15 V) - 1000 Vrms (50 V) - 1500 Vrms (150 V la 1.5 kV)	320 Vrms (range ≤ 5 V) - 500 Vrms (15 V) - 1000 Vrms (50 V) - 1500 Vrms (150 V la 1.5 kV)
Clasa de precizie	2	2
Impedanta	20 k Ω /V	20 k Ω /V
	Tensiune AC	
Domenii	5 V - 15 V - 50 V - 150 V - 500 V - 1,5 kV	5 V - 15 V - 50 V - 150 V - 500 V - 1,5 kV
Protectie	320 Vrms (domeniu ≤ 15 V) - 500 Vrms (50 V) - 1000 Vrms (150 V) - 1500 Vrms (500 V si 1.5 kV)	320 Vrms (domeniu ≤ 15 V) - 500 Vrms (50 V) - 1000 Vrms (150 V) - 1500 Vrms (500 V si 1.5 kV)
Latime de banda	16 Hz la 1 kHz (500 Hz / 1500 V)	16 Hz la 1 kHz (500 Hz / 1500 V)
Clasa de precizie	2.5	2.5
Impedanta	2 k Ω /V	6.32 k Ω /V
	Curent CC	
Domenii	50 μ A - 10 A	50 - 500 μ A - 5 - 150 - 500 mA - 1,5 - 10 A
Clasa de precizie	2	2
Cadere de tensiune	< 0.5 V	1.2 V max
Protectie	Sigurante 1.6 A si 10 A - 10 kA / 600 Vrms	Sigurante 1.6 A si 10 A - 10 kA / 600 Vrms
	Curent AC	
Domenii	Cu cleste AM 13N 10 A 20 A 100 A 200 A	500 μ A - 5 - 150 - 500 mA - 1,5 - 10 A
Clasa de precizie	3 3 3 3	2.5
Cadere de tensiune	—	1.2 V max
Protectie	Sigurante 1.6 A - 10 kA / 600 Vrms	Sigurante 1.6 A si 10 A - 10 kA / 600 Vrms